ELSEVIER

Journal of Organometallic Chemistry 568 (1998) 295

Journal of Organometallic Chemistry

Author index of Volume 568

Abdul Malik, K.M., 133
Agostina Cinellu, M., 225
Alder, M.J., 279
Allendoerfer, R.D., 63
Alt, H.G., 87, 127, 263

Banerjee, S., 197
Bardin, V.V., 233
Belsky, V.K., 113
Brimah, A.K., 1
Bulychev, B.M., 33, 113

Cabrera, A., 13
Cadenas, G., 33
Cai, L., 77
Chadha, R.K., 197
Chan, K.S., 257
Che, D.-J., 165
Cirera, M.R., 149
Cross, W.I., 279

Davies, N.A., 1
DeBoer, E., 271
Delgado, S., 185
Ding, E.-R., 157
Docherty, G.F., 287
Duncalf, D.J., 271

Elizalde, L., 33
Esmaeilbeig, A.R., 53
Espinosa, G., 13

Fischer, R.D., 1
Flower, K.R., 279
Frohn, H.-J., 233
Fujitsuka, M., 121

Ghose, S., 197
González-Velasco, J., 185
Großheimann, G., 205
Gupta, D.K., 13
Güzeloğlu, Ş., 143

Halterman, R.L., 41
Han, Y., 77
Harrison, R.J., 271
Harris, R.K., 1
Holle, S., 205
Holmes, N.J., 213
Hursthouse, M.B., 133

Ito, O., 121

Jha, N.K., 13
Jolly, P.W., 205
Jung, M., 87, 127

Kabir, S.E., 133
Kania, L., 21
Keister, J.B., 63
Khan, M.A., 41
Khvostov, A.V., 113
Kivekäs, R., 149
Knjazhanski, S.Y., 33
Knox, G.R., 287
Köppl, A., 263

Lahuerta, P., 177
Lambert, J.B., 21
Landgraf, S., 253
Lentz, K.T., 21
Levason, W., 213
Lewin, A., 233
Li, G., 165
Lis, T., 177
Llibre, J., 149
Low, A.A., 63
Lunzer, F., 253

Macazaga, M.-J., 185
Mahmoud, H., 77
Mak, T.C.W., 257
Malisch, W., 241, 247
Manassero, M., 225
Marcos, M.-L., 185
Marschner, C., 253
Mathur, P., 197
McCamley, A., 271
McCargar, R.D., 63
Medina, R.M., 185
Minghetti, G., 225
Mochida, K., 121
Moreno, C., 185
Munkir Hossain, M., 197
Murata, S., 121

Pandey, D.S., 13
Pauson, P.L., 287
Pawlak, M., 171
Pekin, M., 143
Pfister, H., 241
Pritchard, R.G., 279
Pruchnik, F.P., 177
Puddephatt, R.J., 53
Puerta, M.C., 13

Radosław, 177
Rashidi, M., 53
Ravindra Kumar, G., 197
Reising, J., 247

Sahay, A.N., 13
Satyanarayana, C.V.V., 197
Schertl, P., 263
Schwarz, P., 1
Segal, B.M., 77
Shahabadi, N., 53
Sharma, P., 13
Shawl, C.E., 21
Sillanpää, R., 149
Sizov, A.I., 113
Spörl, A., 241
Starosta, 177
Stern, C.L., 21
Stoccoro, S., 225

Tangestaninejad, S., 53
Teixidor, F., 149
Tesmer, M., 133
Thirase, K., 247
Tretyakov, A., 41
Tse, A.K.-S., 257
Tse, W.C., 21

Vahrenkamp, H., 133
Valerga, P., 13
Viñas, C., 149
Vittoria Pinna, M., 225

Wallbridge, M.G.H., 271
Watanabe, H., 121
Webster, M., 213
Wu, B.-M., 257
Wu, S.-L., 157

Xia, C.-G., 157

Yalçın, G., 143
Yao, H., 63
Yao, X.L., 165
Yin, Y.-Q., 157

Zakrzewski, J., 171
Zhao, Y., 21
Zou, D.P., 165
Zucca, A., 225

PII S0022-328X(98)00901-2

ELSEVIER

Journal of Organometallic Chemistry 568 (1998) 297–301

Journal of Organometallic Chemistry

Subject index of Volume 568

Alane complexes
Polymerization of methyl methacrylate with alane complexes of bivalent lanthanidocenes, 33
Allyl
η^6-Arene–cobalt(I) complexes, 205
Allylidene derivatives
Ligand additivity in 47-electron clusters. Electrochemistry of $(\mu$-H)$Ru_3(\mu_3$-η^3-XCCRCR′)$(CO)_{9-n}(PPh_3)_n$ and reactions with electrophiles: one-electron oxidation and adduct formation, 63
Aluminium
bis-(di-*tert*-Butylcyclopentadienyl)ytterbium(II): reactions with triisobutylaluminum and aluminium deuteride. Crystal structures of the complex $(\eta^5$-1,3-^{t}Bu$_2$C$_5$H$_3)_3$Yb and the complex $(\eta^5$-1,3-^{t}Bu$_2$C$_5$H$_3)_2$Yb$(\mu$-D$)_2$Al$(\eta^2$-1,3-^{t}Bu$_2$C$_5$H$_3)$ with allyl → Al extra bonding, 113
ansa-bis(indenyl)Titanium dichloride
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41
ansa-bis(indenyl)Zirconium dichloride
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41
ansa-Metallocene
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41
ansa-Metallocene complexes
PPh-bridged metallocene complexes of the type $(C_{13}H_8$–PPh–$C_{13}H_8)MCl_2$ (M = Zr, Hf), 127
Arene
η^6-Arene–cobalt(I) complexes, 205
Arene–ruthenium complexes
Synthesis, characterization, reactivity and structure of some mono and binuclear (η^6-*p*-cymene)ruthenium(II) complexes, 13
Asymmetric
Synthesis, characterization of (*R*)-2,2′-diamino-1,1′-binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the catalytic properties in transfer hydrogenation reactions, 77
Auration
Gold(III) derivatives with C(4)-aurated 1-phenylpyrazole, 225
Azo-phosphines
Azo-phosphine containing complexes of Group 6 metal carbonyls: crystal and molecular structure of $[Mo(CO)_5\{1$-(4-ethylphenylazo)-6-diphenylphosphino-naphthalen-2-ol$\}]$, 279

Benzene
η^6-Arene–cobalt(I) complexes, 205
Binaphthyl
Synthesis, characterization of (*R*)-2,2′-diamino-1,1′-binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the catalytic properties in transfer hydrogenation reactions, 77
Binuclear complexes
bis-(di-*tert*-Butylcyclopentadienyl)ytterbium(II): reactions with triisobutylaluminum and aluminium deuteride. Crystal structures of the complex $(\eta^5$-1,3-^{t}Bu$_2$C$_5$H$_3)_3$Yb and the complex $(\eta^5$-1,3-^{t}Bu$_2$C$_5$H$_3)_2$Yb$(\mu$-D$)_2$Al$(\eta^2$-1,3-^{t}Bu$_2$C$_5$H$_3)$ with allyl → Al extra bonding, 113
Bivalent ytterbocenes
Polymerization of methyl methacrylate with alane complexes of bivalent lanthanidocenes, 33
Boron compounds
Macrocycles incorporating sulphur and *nido*-carborane cages: reactivity towards Rh(III) and Ir(III). Molecular structures of $[Ir(C_5Me_5)Cl(7,8$-μ-(SCH_2CH_2S)-7,8-$C_2B_9H_{10})]$ and $[Rh(C_5Me_5)$ × Cl(7,8-μ-$(S(CH_2CH_2(OCH_2CH_2)_3)S)$-7,8-$C_2B_9H_{10})]$, 149
Bridged ruthenium complexes
Synthesis, characterization, reactivity and structure of some mono and binuclear (η^6-*p*-cymene)ruthenium(II) complexes, 13

Carbodiimide
(η^5-Cyclopentadienyl)$Fe(CO)_2$-complexes of sulfonamide anions. Acylation of the amino group in the sulfanilamide complex and its relevance to the protein labelling, 171
Carbonyl
Phosphine derivatives of the 4-methylquinoline triosmium cluster $[(\mu$-H$)Os_3(CO)_{10}\{\mu$-1,2-η^2-$C_9H_5(CH_3)N\}]$: crystal structures of two isomeric compounds $[(\mu$-H$)Os_3(CO)_9\{\mu$-1,2-η^2-$C_9H_5(CH_3)N\}(PPh_3)]$ and $[(\mu$-H$)Os_3(CO)_9\{\mu$-1,2-η^2-$C_9H_5(CH_3)N\}\{P(OMe)_3\}]$, 133
Study on the reactivity of $RuCo_2(\mu_3$–S$)(CO)_9$: synthesis and characterization of the cluster complexes containing the tetrahedral core MRuCoS (M=Mo, W) and the two tetrahedral core MRuCoS clusters, 157
Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of *ax*-$[Mn_2(CO)_9(SbPh_3)]$, $[Mn(CO)_5(SbPh_3)][CF_3SO_3]$ and *fac*-$[Re(CO)_3Cl(SbPh_3)_2]$, 213
Carbonyl complexes
Electrochemical study of methylfulvalene and methylcyclopentadiene molybdenum complexes, 185
Catalysis
C_1-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8$–CR^1R^2–$C_5H_3R)ZrCl_2$ (R^1, R^2 = alkyl, phenyl, alkenyl; R = H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene, 87
PPh-bridged metallocene complexes of the type $(C_{13}H_8$–PPh–$C_{13}H_8)MCl_2$ (M = Zr, Hf), 127
Chalcogenide
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197

PII S0022-328X(98)00902-4

Charge transfer
Photo-induced ligand exchange reactions of ferrocenylacetylacetone in the presence of pyridine or 4,4′-dipyridyl: Crystal and molecular structure of *trans*-bis(ferrocenylacetylacetonato)dipyridineiron(II), $[Fe(FAnato)_2(Py)_2]$, 165
Chrome(III)
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143
Chromium
Azo-phosphine containing complexes of Group 6 metal carbonyls: crystal and molecular structure of $[Mo(CO)_5\{1$-(4-ethylphenylazo)-6-diphenylphosphino-naphthalen-2-ol$\}]$, 279
Cluster
Study on the reactivity of $RuCo_2(\mu_3-S)(CO)_9$: synthesis and characterization of the cluster complexes containing the tetrahedral core MRuCoS (M=Mo, W) and the two tetrahedral core MRuCoS clusters, 157
Cobalt
η^6-Arene–cobalt(I) complexes, 205
Cobalt(II)
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143
Crystal structure
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1
Phosphine derivatives of the 4-methylquinoline triosmium cluster $[(\mu$-H$)Os_3(CO)_{10}\{\mu$-1,2-η^2-$C_9H_5(CH_3)N\}]$: crystal structures of two isomeric compounds $[(\mu$-H$)Os_3(CO)_9\{\mu$-1,2-η^2-$C_9H_5(CH_3)N\}(PPh_3)]$ and $[(\mu$-H$)Os_3(CO)_9\{\mu$-1,2-η^2-$C_9H_5(CH_3)N\}\{P(OMe)_3\}]$, 133
Study on the reactivity of $RuCo_2(\mu_3-S)(CO)_9$: synthesis and characterization of the cluster complexes containing the tetrahedral core MRuCoS (M=Mo, W) and the two tetrahedral core MRuCoS clusters, 157
C_2-symmetric
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41
Cyanide
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1
Cyclic voltammetry
Ligand additivity in 47-electron clusters. Electrochemistry of $(\mu$-H$)Ru_3(\mu_3$-η^3-XCCRCR′$)(CO)_{9-n}(PPh_3)_n$ and reactions with electrophiles: one-electron oxidation and adduct formation, 63
Cycloaddition
Fünfgliedrige Phosphametallacyclen Cp(OC)-M–PR_2–C(=S)–N(ME)–C(=O): Darstellung durch [3 + 2]-Cycloaddition der Metallo-phosphane $Cp(OC)_2M-PR_2$ (M = Fe, Ru; R = Alkyl, Aryl) mit Methylisothiocyanat: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LVIII, 241
Zur Reaktivität des sekundären Ferrio-phosphans $Cp(OC)_2Fe-P(t$-Bu)(H) gegenüber Organoisocyanaten und Organoisothiocyanaten: Synthese der Phospha–ferracyclen Cp(CO)Fe–P(*t*-Bu)[C(X)–N(R)H]–C(X)–N(R)–C(O) (X = O, S, R = Me, Et) durch [3 + 2]-Cycloaddition und Insertion. Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LXI, 247
Cyclopentadienyl
(η^5-Cyclopentadienyl)$Fe(CO)_2$-complexes of sulfonamide anions. Acylation of the amino group in the sulfanilamide complex and its relevance to the protein labelling, 171
Electrochemical study of methylfulvalene and methylcyclopentadiene molybdenum complexes, 185
Study on the reactivity of $RuCo_2(\mu_3-S)(CO)_9$: synthesis and characterization of the cluster complexes containing the tetrahedral core MRuCoS (M=Mo, W) and the two tetrahedral core MRuCoS clusters, 157

Dehydropolymerisation
$(C_5H_5)_2TiF_2$ and $(C_5H_5)_2ZrF_2$ as catalyst precursors for the dehydropolymerisation of silanes, 253
9,10-Dicyanoanthracene
Chlorinative cleavage of germanium–germanium bonds in permethyloligogermanes initiated by photo-induced electron transfer, 121
Diene
A rapid and convenient method for the formation of (diene)$Fe(CO)_3$ complexes, 287
Dienyl
η^6-Arene–cobalt(I) complexes, 205
β-Diketone
Photo-induced ligand exchange reactions of ferrocenylacetylacetone in the presence of pyridine or 4,4′-dipyridyl: Crystal and molecular structure of *trans*-bis(ferrocenylacetylacetonato)dipyridineiron(II), $[Fe(FAnato)_2(Py)_2]$, 165
Dirhodium(II) tetraacetate
Orthometallation reactions of tris(*p*-methoxyphenyl)phosphine with dirhodium(II) tetraacetate, 177

Electrochemistry
Electrochemical study of methylfulvalene and methylcyclopentadiene molybdenum complexes, 185
Ligand additivity in 47-electron clusters. Electrochemistry of $(\mu$-H$)Ru_3(\mu_3$-η^3-XCCRCR′$)(CO)_{9-n}(PPh_3)_n$ and reactions with electrophiles: one-electron oxidation and adduct formation, 63
Electrophilic substitution
Preparation of halogeno(pentafluorophenyl)silanes $(C_6F_5)_nSiX_{4-n}$ (X = F, Cl and Br; $n = 2, 3$) from pentafluorophenyl(phenyl)silanes $(C_6F_5)_nSiPh_{4-n}$, 233
Ethylene polymerization
Polymerization of ethylene with metallocene/methylaluminoxane catalysts supported on polysiloxane micro gels and silica, 263

Germane
Torsional distortions in trimesitylsilanes and trimesitylgermanes, 21
Gold(III)
Gold(III) derivatives with C(4)-aurated 1-phenylpyrazole, 225

Hafnium
PPh-bridged metallocene complexes of the type $(C_{13}H_8-PPh-C_{13}H_8)MCl_2$ (M = Zr, Hf), 127
Hydrides
bis-(di-*tert*-Butylcyclopentadienyl)ytterbium(II): reactions with triisobutylaluminum and aluminium deuteride. Crystal structures of the complex $(\eta^5$-1,3-^{t}Bu$_2C_5H_3)_3Yb$ and the complex $(\eta^5$-1,3-^{t}Bu$_2C_5H_3)_2Yb(\mu$-D$)_2Al(\eta^2$-1,3-^{t}Bu$_2C_5H_3)$ with allyl → Al extra bonding, 113

Insertion
Zur Reaktivität des sekundären Ferrio-phosphans $Cp(OC)_2Fe-P(t$-Bu)(H) gegenüber Organoisocyanaten und Organoisothiocyanaten: Synthese der Phospha–ferracyclen Cp(CO)Fe–P(*t*-Bu)[C(X)–N(R)H]–C(X)–N(R)–C(O) (X = O, S, R = Me, Et) durch [3 + 2]-Cycloaddition und Insertion. Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LXI, 247

Iridium compounds
Macrocycles incorporating sulphur and *nido*-carborane cages: reactivity towards Rh(III) and Ir(III). Molecular structures of $[Ir(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(SCH_2CH_2S)\text{-}7,8\text{-}C_2B_9H_{10})]$ and $[Rh(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(S(CH_2CH_2(OCH_2CH_2)_3)S)\text{-}7,8\text{-}C_2B_9H_{10})]$, 149

Iron
A rapid and convenient method for the formation of (diene)$Fe(CO)_3$ complexes, 287
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197

Iron carbonyls
(η^5-Cyclopentadienyl)$Fe(CO)_2$-complexes of sulfonamide anions. Acylation of the amino group in the sulfanilamide complex and its relevance to the protein labelling, 171

Iron(III)
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143

Lead
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1

Magic-angle spinning
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1

Manganese
Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of *ax*-$[Mn_2(CO)_9(SbPh_3)]$, $[Mn(CO)_5(SbPh_3)][CF_3SO_3]$ and *fac*-$[Re(CO)_3Cl(SbPh_3)_2]$, 213

Mesityl group
Torsional distortions in trimesitylsilanes and trimesitylgermanes, 21

Metal clusters
Ligand additivity in 47-electron clusters. Electrochemistry of $(\mu\text{-}H)Ru_3(\mu_3\text{-}\eta^3\text{-}XCCRCR')(CO)_{9-n}(PPh_3)_n$ and reactions with electrophiles: one-electron oxidation and adduct formation, 63

Metallacycle
Some mono- and binuclear platinacyclopentane complexes: a comparative kinetic study of reaction of ethyl iodide with platina(II)cyclopentane and dimethylplatinum(II) complexes, 53

Metallocene catalysts
Polymerization of ethylene with metallocene/methylaluminoxane catalysts supported on polysiloxane micro gels and silica, 263

Metallocene complexes
C_1-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8\text{–}CR^1R^2\text{–}C_5H_3R)ZrCl_2$ (R^1, R^2 = alkyl, phenyl, alkenyl; R = H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene, 87

Metallocenefluorides
$(C_5H_5)_2TiF_2$ and $(C_5H_5)_2ZrF_2$ as catalyst precursors for the dehydropolymerisation of silanes, 253

Metallocenes
bis-(di-*tert*-Butylcyclopentadienyl)ytterbium(II): reactions with triisobutylaluminum and aluminium deuteride. Crystal structures of the complex $(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)_3Yb$ and the complex $(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)_2Yb(\mu\text{-}D)_2Al(\eta^2\text{-}1,3\text{-}^tBu_2C_5H_3)$ with allyl → Al extra bonding, 113

Metallo–Phosphane
Zur Reaktivität des sekundären Ferrio-phosphans $Cp(OC)_2Fe\text{–}P(t\text{-}Bu)(H)$ gegenüber Organoisocyanaten und Organoisothiocyanaten: Synthese der Phospha–ferracyclen $Cp(CO)\overline{Fe\text{–}P(t\text{-}Bu)[C(X)\text{–}N(R)H]\text{–}C(X)\text{–}N(R)\text{–}C(O)}$ (X = O, S, R = Me, Et) durch [3 + 2]-Cycloaddition und Insertion. Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LXI, 247

Metallo-Phosphanes
Fünfgliedrige Phosphametallacyclen$Cp(OC)\overline{M\text{–}PR_2\text{–}C(=S)\text{–}N(ME)\text{–}C(=O)}$: Darstellung durch [3 + 2]-Cycloaddition der Metallo-phosphane $Cp(OC)_2M\text{–}PR_2$ (M = Fe, Ru; R = Alkyl, Aryl) mit Methylisothiocyanat: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LVIII, 241

Metathetic reactions
Synthesis, characterization, reactivity and structure of some mono and binuclear (η^6-*p*-cymene)ruthenium(II) complexes, 13

Methyl methacrylate polymerization
Polymerization of methyl methacrylate with alane complexes of bivalent lanthanidocenes, 33

4-Methylquinoline
Phosphine derivatives of the 4-methylquinoline triosmium cluster $[(\mu\text{-}H)Os_3(CO)_{10}\{\mu\text{-}1,2\text{-}\eta^2\text{-}C_9H_5(CH_3)N\}]$: crystal structures of two isomeric compounds $[(\mu\text{-}H)Os_3(CO)_9\{\mu\text{-}1,2\text{-}\eta^2\text{-}C_9H_5(CH_3)N\}(PPh_3)]$ and $[(\mu\text{-}H)Os_3(CO)_9\{\mu\text{-}1,2\text{-}\eta^2\text{-}C_9H_5(CH_3)N\}\{P(OMe)_3\}]$, 133

Micro gels
Polymerization of ethylene with metallocene/methylaluminoxane catalysts supported on polysiloxane micro gels and silica, 263

Molybdenum
Azo-phosphine containing complexes of Group 6 metal carbonyls: crystal and molecular structure of $[Mo(CO)_5\{1\text{-}(4\text{-}ethylphenylazo)\text{-}6\text{-}diphenylphosphino\text{-}naphthalen\text{-}2\text{-}ol\}]$, 279
Electrochemical study of methylfulvalene and methylcyclopentadiene molybdenum complexes, 185

Molybendum
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197

Mononuclear complexes
Synthesis, characterization, reactivity and structure of some mono and binuclear (η^6-*p*-cymene)ruthenium(II) complexes, 13

N-acetyl-L-cysteine
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143

N-acylation
(η^5-Cyclopentadienyl)$Fe(CO)_2$-complexes of sulfonamide anions. Acylation of the amino group in the sulfanilamide complex and its relevance to the protein labelling, 171

Nickel(II)
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143

Niobium
Oxidation of niobocene dichloride to niobium(V) cationic species, 271

NLO
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197

Olefin polymerization
PPh-bridged metallocene complexes of the type $(C_{13}H_8\text{–}PPh\text{–}C_{13}H_8)MCl_2$ (M = Zr, Hf), 127

Orthometallation
Orthometallation reactions of tris(*p*-methoxyphenyl)phosphine with dirhodium(II) tetraacetate, 177
Osmium
Phosphine derivatives of the 4-methylquinoline triosmium cluster $[(\mu\text{-H})Os_3(CO)_{10}\{\mu\text{-1,2-}\eta^2\text{-}C_9H_5(CH_3)N\}]$: crystal structures of two isomeric compounds $[(\mu\text{-H})Os_3(CO)_9\{\mu\text{-1,2-}\eta^2\text{-}C_9H_5(CH_3)N\}(PPh_3)]$ and $[(\mu\text{-H})Os_3(CO)_9\{\mu\text{-1,2-}\eta^2\text{-}C_9H_5(CH_3)N\}\{P(OMe)_3\}]$, 133
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197
Oxidation
Oxidation of niobocene dichloride to niobium(V) cationic species, 271

Palladium-coupling
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41
Permethyloligogermanes
Chlorinative cleavage of germanium–germanium bonds in permethyloligogermanes initiated by photo-induced electron transfer, 121
1-Phenylpyrazole
Gold(III) derivatives with C(4)-aurated 1-phenylpyrazole, 225
PH Function
Zur Reaktivität des sekundären Ferrio-phosphans $Cp(OC)_2Fe-P(t\text{-Bu})(H)$ gegenüber Organoisocyanaten und Organoisothiocyanaten: Synthese der Phospha–ferracyclen $Cp(CO)\overline{Fe-P(t\text{-Bu})[C(X)-N(R)H]-C(X)-N(R)-C(O)}$ (X = O, S, R = Me, Et) durch [3 + 2]-Cycloaddition und Insertion. Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LXI, 247
Phosphametallacycle
Zur Reaktivität des sekundären Ferrio-phosphans $Cp(OC)_2Fe-P(t\text{-Bu})(H)$ gegenüber Organoisocyanaten und Organoisothiocyanaten: Synthese der Phospha–ferracyclen $Cp(CO)\overline{Fe-P(t\text{-Bu})[C(X)-N(R)H]-C(X)-N(R)-C(O)}$ (X = O, S, R = Me, Et) durch [3 + 2]-Cycloaddition und Insertion. Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LXI, 247
Phosphametallacycles
Fünfgliedrige Phosphametallacyclen $Cp(OC)\overline{M-PR_2-C(=S)-N(ME)-C(=O)}$: Darstellung durch [3 + 2]-Cycloaddition der Metallo-phosphane $Cp(OC)_2M-PR_2$ (M = Fe, Ru; R = Alkyl, Aryl) mit Methylisothiocyanat: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LVIII, 241
Phosphine
Phosphine derivatives of the 4-methylquinoline triosmium cluster $[(\mu\text{-H})Os_3(CO)_{10}\{\mu\text{-1,2-}\eta^2\text{-}C_9H_5(CH_3)N\}]$: crystal structures of two isomeric compounds $[(\mu\text{-H})Os_3(CO)_9\{\mu\text{-1,2-}\eta^2\text{-}C_9H_5(CH_3)N\}(PPh_3)]$ and $[(\mu\text{-H})Os_3(CO)_9\{\mu\text{-1,2-}\eta^2\text{-}C_9H_5(CH_3)N\}\{P(OMe)_3\}]$, 133
Photo-induced electron transfer
Chlorinative cleavage of germanium–germanium bonds in permethyloligogermanes initiated by photo-induced electron transfer, 121
Photo-induced ligand exchange
Photo-induced ligand exchange reactions of ferrocenylacetylacetone in the presence of pyridine or 4,4′-dipyridyl: Crystal and molecular structure of *trans*-bis(ferrocenylacetylacetonato)dipyridineiron(II), $[Fe(FAnato)_2(Py)_2]$, 165
Photolysis
Photo-induced ligand exchange reactions of ferrocenylacetylacetone in the presence of pyridine or 4,4′-dipyridyl: Crystal and molecular structure of *trans*-bis(ferrocenylacetylacetonato)dipyridineiron(II), $[Fe(FAnato)_2(Py)_2]$, 165
Platinum
Some mono- and binuclear platinacyclopentane complexes: a comparative kinetic study of reaction of ethyl iodide with platina(II)cyclopentane and dimethylplatinum(II) complexes, 53
Polyethylene
C_1-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8-CR^1R^2-C_5H_3R)ZrCl_2$ (R^1, R^2 = alkyl, phenyl, alkenyl; R = H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene, 87
Polymer
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6\cdot nH_2O]$ with M = Fe and Ru ($0 \le n \le 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1
Polymerization
C_1-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8-CR^1R^2-C_5H_3R)ZrCl_2$ (R^1, R^2 = alkyl, phenyl, alkenyl; R = H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene, 87
Polypropylene
C_1-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8-CR^1R^2-C_5H_3R)ZrCl_2$ (R^1, R^2 = alkyl, phenyl, alkenyl; R = H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene, 87
Polysilanes
$(C_5H_5)_2TiF_2$ and $(C_5H_5)_2ZrF_2$ as catalyst precursors for the dehydropolymerisation of silanes, 253
Porpyhrin–silyls
A facile synthesis of rhodium(III) porphyrin–silyls, 257
Potentiometric titration
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143
PPh-bridge
PPh-bridged metallocene complexes of the type $(C_{13}H_8-PPh-C_{13}H_8)MCl_2$ (M = Zr, Hf), 127
Propeller conformation
Torsional distortions in trimesitylsilanes and trimesitylgermanes, 21
Proton transfer
Photo-induced ligand exchange reactions of ferrocenylacetylacetone in the presence of pyridine or 4,4′-dipyridyl: Crystal and molecular structure of *trans*-bis(ferrocenylacetylacetonato)dipyridineiron(II), $[Fe(FAnato)_2(Py)_2]$, 165

Rhenium
Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of *ax*-$[Mn_2(CO)_9(SbPh_3)]$, $[Mn(CO)_5(SbPh_3)][CF_3SO_3]$ and *fac*-$[Re(CO)_3Cl(SbPh_3)_2]$, 213
Rhodium
A facile synthesis of rhodium(III) porphyrin–silyls, 257
Rhodium compounds
Macrocycles incorporating sulphur and *nido*-carborane cages: reactivity towards Rh(III) and Ir(III). Molecular structures of $[Ir(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(SCH_2CH_2S)\text{-}7,8\text{-}C_2B_9H_{10})]$ and $[Rh(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(S(CH_2CH_2(OCH_2CH_2)_3)S)\text{-}7,8\text{-}C_2B_9H_{10})]$, 149
Ring opening
Fünfgliedrige Phosphametallacyclen $Cp(OC)\overline{M-PR_2-C(=S)-N(ME)-C(=O)}$: Darstellung durch [3 + 2]-Cycloaddition der Metallo-phosphane $Cp(OC)_2M-PR_2$ (M = Fe, Ru; R = Alkyl, Aryl) mit Methylisothiocyanat: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, LVIII, 241

Ruthenium
Ligand additivity in 47-electron clusters. Electrochemistry of (μ-H)$Ru_3(\mu_3$-η^3-XCCRCR′)$(CO)_{9-n}(PPh_3)_n$ and reactions with electrophiles: one-electron oxidation and adduct formation, 63
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197
Synthesis, characterization of (*R*)-2,2′-diamino-1,1′-binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the catalytic properties in transfer hydrogenation reactions, 77

Silane
Torsional distortions in trimesitylsilanes and trimesitylgermanes, 21
Silanes
Preparation of halogeno(pentafluorophenyl)silanes $(C_6F_5)_nSiX_{4-n}$ (X = F, Cl and Br; $n = 2$, 3) from pentafluorophenyl(phenyl)silanes $(C_6F_5)_nSiPh_{4-n}$, 233
Silica
Polymerization of ethylene with metallocene/methylaluminoxane catalysts supported on polysiloxane micro gels and silica, 263
Silicon
Preparation of halogeno(pentafluorophenyl)silanes $(C_6F_5)_nSiX_{4-n}$ (X = F, Cl and Br; $n = 2$, 3) from pentafluorophenyl(phenyl)silanes $(C_6F_5)_nSiPh_{4-n}$, 233
Solid-state NMR
Organolead(IV) polymers $[(Me_3Pb)_4M(CN)_6 \cdot nH_2O]$ with M = Fe and Ru ($0 \leq n \leq 2$): solid-state NMR and vibrational spectroscopy; crystal structure of the dihydrates, 1
Solid state synthesis
A rapid and convenient method for the formation of (diene)$Fe(CO)_3$ complexes, 287
Stability constants
The determination of stability constants of *N*-acetyl-L-cysteine chrome, nickel, cobalt and iron complexes by potentiometric method, 143
Steric congestion
Torsional distortions in trimesitylsilanes and trimesitylgermanes, 21
Stibine
Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of *ax*-$[Mn_2(CO)_9(SbPh_3)]$, $[Mn(CO)_5(SbPh_3)][CF_3SO_3]$ and *fac*-$[Re(CO)_3Cl(SbPh_3)_2]$, 213
Structures
A facile synthesis of rhodium(III) porphyrin–silyls, 257
Sulfonamide
Synthesis, characterization of (*R*)-2,2′-diamino-1,1′-binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the catalytic properties in transfer hydrogenation reactions, 77
Sulfonamide anions
(η^5-Cyclopentadienyl)$Fe(CO)_2$-complexes of sulfonamide anions. Acylation of the amino group in the sulfanilamide complex and its relevance to the protein labelling, 171
Support
Polymerization of ethylene with metallocene/methylaluminoxane catalysts supported on polysiloxane micro gels and silica, 263

Tetrahedral clusters
Synthesis, characterisation and nonlinear optical properties of tetrahedral clusters $Cp_2Mo_2ME(CO)_7$, (M = Fe, Ru, Os; E = S, Se), 197
Thioether
Macrocycles incorporating sulphur and *nido*-carborane cages: reactivity towards Rh(III) and Ir(III). Molecular structures of $[Ir(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(SCH_2CH_2S)\text{-}7,8\text{-}C_2B_9H_{10})]$ and $[Rh(C_5Me_5)Cl(7,8\text{-}\mu\text{-}(S(CH_2CH_2(OCH_2CH_2)_3)S)\text{-}7,8\text{-}C_2B_9H_{10})]$, 149
Titanocene
$(C_5H_5)_2TiF_2$ and $(C_5H_5)_2ZrF_2$ as catalyst precursors for the dehydropolymerisation of silanes, 253
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41
Transfer hydrogenation
Synthesis, characterization of (*R*)-2,2′-diamino-1,1′-binaphthyl mono-sulfonamide and its ruthenium complex and evaluation of the catalytic properties in transfer hydrogenation reactions, 77
Transition metal
Study on the reactivity of $RuCo_2(\mu_3\text{-}S)(CO)_9$: synthesis and characterization of the cluster complexes containing the tetrahedral core MRuCoS (M=Mo, W) and the two tetrahedral core MRuCoS clusters, 157
Tris(paramethoxyphenyl)phosphine
Orthometallation reactions of tris(*p*-methoxyphenyl)phosphine with dirhodium(II) tetraacetate, 177
Tungsten
Azo-phosphine containing complexes of Group 6 metal carbonyls: crystal and molecular structure of $[Mo(CO)_5\{1\text{-}(4\text{-}ethylphenylazo)\text{-}6\text{-}diphenylphosphino\text{-}naphthalen\text{-}2\text{-}ol\}]$, 279

X-ray structure
Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of *ax*-$[Mn_2(CO)_9(SbPh_3)]$, $[Mn(CO)_5(SbPh_3)][CF_3SO_3]$ and *fac*-$[Re(CO)_3Cl(SbPh_3)_2]$, 213

Ytterbium
bis-(di-*tert*-Butylcyclopentadienyl)ytterbium(II): reactions with triisobutylaluminum and aluminium deuteride. Crystal structures of the complex (η^5-1,3-^{t}Bu$_2$C$_5$H$_3$)$_3$Yb and the complex (η^5-1,3-^{t}Bu$_2$C$_5$H$_3$)$_2$Yb(μ-D)$_2$Al(η^2-1,3-^{t}Bu$_2$C$_5$H$_3$) with allyl → Al extra bonding, 113

Zirconium
C_1-Bridged fluorenylidene cyclopentadienylidene complexes of the type $(C_{13}H_8\text{–}CR^1R^2\text{–}C_5H_3R)ZrCl_2$ (R^1, R^2 = alkyl, phenyl, alkenyl; R = H, alkyl, alkenyl, substituted silyl) as catalyst precursors for the polymerization of ethylene and propylene, 87
PPh-bridged metallocene complexes of the type $(C_{13}H_8\text{–}PPh\text{–}C_{13}H_8)MCl_2$ (M = Zr, Hf), 127
Zirconocene
$(C_5H_5)_2TiF_2$ and $(C_5H_5)_2ZrF_2$ as catalyst precursors for the dehydropolymerisation of silanes, 253
Synthesis and structure of [1,2-bis(1-indenyl)benzene]titanium and zirconium dichlorides, 41